



水務署  
Water Supplies Department

總部 Headquarters  
香港灣仔告士打道七號入境事務大樓 48 樓  
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : ( 7 ) in WSD 3321/19 T/J(478/2019)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

27 August 2019

Koon Weng Pte Ltd.  
19/F, Tak Lee Commercial Building,  
113-117 Wanchai Road,  
Wanchai, Hong Kong

(Attn.: Mr Andrew LEE)

Dear Sir,

**Approval of “PEGLER YORKSHIRE” Copper Fittings  
(General Acceptance No. A20190016)**

Your letters ref. F-19-0123, F-19-0124 and F-19-0125 dated 21 May 2019, 20 June 2019 and 10 July 2019 refer.

The licence no. KM 15121 has been examined. It is noted that the British Standards Institution (BSI) has granted Pegler Yorkshire Group Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2018-131 issued on 9 May 2019 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Pegler Yorkshire Group Limited

**Country of Origin:** UK

**Brand:** Pegler Yorkshire

**Details of Fittings:** Copper and copper alloy fittings with solder ring connection ends

Description	Model	Size
Tee	YP24	15, 22, 28, 35, 42, 54 (mm)



Description	Model	Size
Reducing Tee	YP25	22x22x15, 28x28x15, 28x28x22, 35x35x15, 35x35x22, 35x35x28, 42x42x15, 42x42x22, 42x42x28, 42x42x35, 54x54x15, 54x54x22, 54x54x28, 54x54x35, 54x54x42 (mm)
Reducing Tee	YP26	22x15x22, 28x15x28, 28x22x28, 35x15x35, 35x22x35, 35x28x35, 42x28x42, 42x35x42, 54x42x54 (mm)
Reducing Tee	YP27	22x15x15, 28x15x15, 28x15x22, 28x22x15, 28x22x22, 35x22x22, 35x28x15, 35x28x22, 35x28x28, 42x28x28, 42x35x28, 42x35x35, 54x42x42 (mm)
Reducing Tee	YP28	15x15x22, 15x15x28, 22x22x28, 22x22x35, 28x28x35, 35x35x42 (mm)
Tee	YP29	15x $\frac{1}{2}$ "x15, 22x $\frac{3}{4}$ "x22 (mm x inch x mm)
Reducing Tee	YP29R	22x $\frac{1}{2}$ "x22, 28x $\frac{1}{2}$ "x28, 35x $\frac{1}{2}$ "x35 (mm x inch x mm)
Tee	YP30	15x15x $\frac{1}{2}$ ", 22x22x $\frac{3}{4}$ ", 28x28x1" (mm x mm x inch)
Reducing Tee	YP30R	22x22x $\frac{1}{2}$ ", 28x28x $\frac{1}{2}$ ", 28x28x $\frac{3}{4}$ ", 35x35x $\frac{1}{2}$ ", 35x35x $\frac{3}{4}$ ", 42x42x $\frac{1}{2}$ " (mm x mm x inch)
Backplate Tee	YP30BP	15x15x $\frac{1}{2}$ " (mm x mm x inch)
Sweep Tee	YP37R	22x22x15, 28x28x15 (mm)
Elbow	YP12	15, 22, 28, 35, 42, 54 (mm)
Reducing Elbow	YP12R	22x15, 28x22 (mm)
Street Elbow	YP12s	15, 22, 28, 35, 42 (mm)
Male Elbow	YP13	15x $\frac{1}{2}$ ", 22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ ", 42x1 $\frac{1}{2}$ " (mm x inch)
Female Elbow	YP14	15x $\frac{1}{2}$ ", 22x $\frac{3}{4}$ ", 28x1" (mm x inch)
Reducing Female Elbow	YP14LC	22x $\frac{1}{2}$ " (mm x inch)
Backplate Elbow	YP15	15x $\frac{1}{2}$ ", 22x $\frac{3}{4}$ " (mm x inch)
Backplate Elbow	YP15LN	15x $\frac{1}{2}$ " (mm x inch)
Slow Bend	YP18	15, 22, 28 (mm)
Obtuse Elbow 45°	YP21	15, 22, 28, 35, 42, 54 (mm)
Straight Coupling	YP1	15, 22, 28, 35, 42, 54 (mm)
Adaptor Coupling	YP1IM	$\frac{1}{2}$ "x15, $\frac{3}{4}$ "x22, 1"x28, 1 $\frac{1}{4}$ "x35, 1 $\frac{1}{2}$ "x42 (inch x mm)
Reducing Coupling	YP1R	42x28, 42x35 (mm)
Straight Coupling, Slip Pattern	YP1s	15, 22, 28 (mm)
Straight Female Connector	YP2	15x $\frac{1}{2}$ ", 22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ ", 42x1 $\frac{1}{2}$ ", 54x2" (mm x inch)
Female Reducing Connector	YP2LC	22x $\frac{1}{2}$ " (mm x inch)
Straight Male Connector	YP3	15x $\frac{1}{2}$ ", 22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ ", 42x1 $\frac{1}{2}$ ", 54x2" (mm x inch)

Description	Model	Size
Reducing Male Connector	YP3LC	22x½", 28x¾" (mm x inch)
Reducing Male Connector	YP3LI	15x¾", 22x1" (mm x inch)
Reducer	YP6	22x15, 28x15, 28x22, 35x15, 35x22, 35x28, 42x15, 42x22, 42x28, 42x35, 54x15, 54x22, 54x28, 54x35, 54x42 (mm)
Female Adaptor	YP7	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Male Adaptor	YP8	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Adaptor	YP9	½"x15, ¾"x22, 1"x28, 1¼"x35, 1½"x42, 2"x54 (inch x mm)
Adaptor Metric to Imperial	YP99	22x¾", 28x1" (mm x inch)
Union Coupling	YP11	15, 22, 28, 35, 42, 54 (mm)

**Body Markings:**

Size 

**Expiry Date:**

26 August 2022

In view of BSI granting licence to Pegler Yorkshire Group Limited on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the fresh water plumbing systems in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

  
(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82 ] - without catalogue  
         ME/MC        ] - with soft copy only