



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2022 T/J(730/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

1 September 2022

Purdon King (International) Ltd.
19/F, Tak Lee Commercial Building,
113-117 Wanchai Road,
Hong Kong

(Attn.: Mr Terence IP)

Dear Sir,

**Approval of “PEGLER YORKSHIRE TECTITE PRO” Copper Fittings
(General Acceptance No. A20220024)**

Your letters ref. Q-0908/22 and Q-0928/22 dated 21 June 2022 and 18 July 2022 respectively refer.

The licence no. KM 15121 has been examined. It is noted that the British Standards Institution (BSI) has granted Aalberts Integrated Piping Systems Ltd the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2022-057 issued on 20 May 2022 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Aalberts Integrated Piping Systems Ltd

Country of Origin: UK

Brand: Pegler Yorkshire Tectite Pro

Details of Fittings: Copper alloy fittings with push-fit connection end

Description	Model	Size
Pro Coupling	TX1/TX270	15, 22, 28, 35, 42, 54 (mm)
Slip Coupling	TX1S/TX270S	15, 22, 28, 35, 42, 54 (mm)



Description	Model	Size
Pro Female Coupling	TX2/TX270G	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Pro Female Coupling (Reducer)	TX2/TX270G	22x1" (mm x inch)
Pro Male Coupling	TX3/TX243G	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Pro Male Coupling (Reducer)	TX3/TX243G	22x1" (mm x inch)
Pro Male Coupling	TX3P/TX243G	15x½", 22x¾", 28x1" (mm x inch)
Pro Male Coupling (Reducer)	TX3P/TX243G	22x½", 22x1" (mm x inch)
Pro Reducer	TX6/TX243	22x15, 28x15, 28x22, 35x15, 35x22, 35x28, 42x15, 42x22, 42x28, 42x35, 54x15, 54x22, 54x28, 54x35, 54x42 (mm)
Pro Elbow	TX12/TX090	15, 22, 28, 35, 42, 54 (mm)
Pro Street Elbow	TX12S/TX092	15, 22, 28 (mm)
Pro Male Elbow	TX13/TX092G	15x½" (mm x inch)
Pro Male Elbow	TX13/T092G	28x1" (mm x inch)
Pro Female Elbow	TX14/TX090G	15x½", 22x¾", 28x1" (mm x inch)
Pro Bplate Elbow	TX15/TX471G	15x½" (mm x inch)
Obtuse Elbow	TX21/TX041	15, 22, 28, 35, 42, 54 (mm)
Obtuse Street Elbow	TX21S/TX040	15, 22, 28, 35, 42, 54 (mm)
Pro Equal Tee	TX24/TX130	15, 22, 28, 35, 42, 54 (mm)
Pro Tee	TX25	22x15x22, 28x15x28, 28x22x28, 35x15x35, 35x22x35, 35x28x35, 42x15x42, 42x22x42, 42x28x42, 54x15x54, 54x22x54, 54x28x54, 54x35x54 (mm)
Pro Tee	TX26	22x22x15, 28x28x15, 28x28x22 (mm)
Pro Tee Red End Bch	TX27/TX130	22x15x15, 28x22x22 (mm)
Pro Female Branch Tee	TX30	15x½"x15, 22x½"x22, 35x½"x35, 42x½"x42 (mm x inch x mm)
Pro Stop End	TX61/TX301	15, 22, 28, 35, 42, 54 (mm)

Body Markings: Tectite Size

Expiry Date: 10 September 2023

In view of BSI granting licence to Aalberts Integrated Piping Systems Ltd on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the fresh water plumbing systems in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only